


# COMMERCIAL REFRIGERATED DISPLAY CABINET



Bringing the concept of thinking globally, acting locally to life, we create smart, digitally connected, advanced engineering solutions.




Smart Lifestyle Australia is a team of bright, young, globally connected engineers and IT professionals, partnering with academia to solve the problems of our (and the rest of the world's) energy transition.



We harness global partnerships and extensive networks to move our energy networks from a centuries old polluting model to a renewable smart distributed and democratised system.





**RACK**

The height of rack is adjustable for various goods.  
For adjustment:

- 1) Take out the rack.
- 2) Move the rack
- 3) Put the rack on

**GLASS DOOR**

**AIR OUTLET**

Never block the suction. Air is sucked in and cold air is circulated inside the refrigerator.

**AIR OUTLET**


Never block the air outlet. Let inside circulating cold air flow out.

1. Top brand fully enclosed compressor is used on the refrigerator. The refrigerant R290 is of an environmentally friendly again. It features a rational configuration of refrigeration system with blower forced air cooling. The temperature is quite even inside the refrigerator.

2. Double hollow transparent glasses are used on door and body. It features an artistic and elegant appearance, perfect perspective and east access.

3. It has a wide application in department store and house as well as the meeting room and sitting room.

Smart Lifestyle Australia  
**500 LTR COMMERCIAL  
RDC**



# Product Specifications

MODEL	500 LTR COMMERCIAL RDC
Model	SLA-500
Volume	500L
Size LxWxH (mm)	650*650*1945
Packaging size (mm)	735X735X1980
Pallet height(mm)	120
N.W. (kg)	135
G.W. (kg)	144
Pallet weight (kg)	4.9
Glass panel	4
Area of glass panel	2.95m <sup>2</sup>
EEI	10.3
Kwh/ day (TEC)	3.703
Loading 20'/40'/40HQ	21/45/45
Temperature °C	0-12°C
Working temperature °C	16-30°C
Cooling system	Ventilated
Volt.	220~240V/50Hz
Thermostate	Digital
Refrigerant	R290
Foam thickness (mm)	NA
Defrosting	Auto
Self-evaporation	Yes
Standard	GEMS 2020
Cabinet Exterior	Glass/Plastic
Doors	1
Type of door	Glass
Glass layer	2
Material of door frame	PVC
Colour	White
Lockable	yes
LED light	2 sides
Compressor location	Bottom
Shelves	PVC Coated
No. of Shelves	5
Wheels	4pcs Castors + 2 stabilizer
Noise (db)	<55
Specifications	Brilliant LED light at 2 sides
	Digital control and display
	Adjustable PVC coated shelves
	Front flat glass door
	Witch door lock
	4 sides double glass
	4 Castors with 2 brackes
	Ventilated cooling system
	Energy class of 10 star
	Automatci defrost
TEC	3.703
ESCs	36**

**\*\*Calculations are tentative**

Commercial Refrigerated  
Display Cabinets Provided by

# Smart Lifestyle<sup>TM</sup>

A U S T R A L I A

---

- Ph: 1300 198 955   ■ ABN 54 652 113 561
- [info@smartlifestyleaustralia.com.au](mailto:info@smartlifestyleaustralia.com.au)
- [www.smartlifestyleaustralia.com](http://www.smartlifestyleaustralia.com)

## Office Address

- Unit 1, 41 Anzac St, Greenacre, NSW 2190
- 16 Fastline Road Truganina VIC 3029